

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

**EP 1 003 475 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention  
of the grant of the patent:

**14.01.2004 Bulletin 2004/03**

(51) Int Cl.7: **A61K 9/00**

(86) International application number:  
**PCT/IB1998/000558**

(21) Application number: **98910942.6**

(22) Date of filing: **14.04.1998**

(87) International publication number:  
**WO 1998/047484 (29.10.1998 Gazette 1998/43)**

(54) **CENTRE FILLED CONFECTIONERY**

**GEFÜLLTER KONFEKT**

**DRAGEE FOURREE**

(84) Designated Contracting States:  
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL  
PT SE**

(30) Priority: **21.04.1997 GB 9707977**

(43) Date of publication of application:  
**31.05.2000 Bulletin 2000/22**

(73) Proprietor: **THE PROCTER & GAMBLE COMPANY**  
**Cincinnati, Ohio 45202 (US)**

(72) Inventors:  
• **BEALIN-KELLY, Francis, Joseph, David**  
**Surrey KT12 2AG (GB)**

• **HANKE, Bernhard**  
**D-65307 Bad Schwalbach (DE)**  
• **NIENABER, Paul**  
**D-55218 Ingelheim (DE)**

(74) Representative: **Clemon, Nicholas Graham et al**  
**Patent Department,**  
**Procter & Gamble Technical Centres Limited,**  
**Rusham Park,**  
**Whitehall Lane**  
**Egham, Surrey TW20 9NW (GB)**

(56) References cited:  
**WO-A-94/08550 WO-A-94/08551**  
**ES-A- 2 078 186 US-A- 4 980 169**  
**US-A- 5 578 336**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**EP 1 003 475 B1**

**Description**Field of the Invention

5 [0001] The present invention relates to liquid centre-filled confectionery, especially liquid centre-filled throat drops, for soothing of irritated throats and nasal passages.

Background of the Invention

10 [0002] Products in the form of cough drops have long been known as vehicles for the delivery of medicaments aimed at soothing sore or irritated throats. Such medicaments include analgesics, antitussives, expectorants, cooling agents such as menthol, and warming agents such as ethanol or gingerol. The medicament can be administered by way of a throat drop or lozenge which releases the active agent upon sucking. Particularly in the case of a volatile active agent, the product can also provide relief from cold symptoms by way of clearing the nasal passages.

15 [0003] EP-A-431,376, for example, describes hard confections for sustained release treatment of sore throats comprising hydrogenated isomaltulose and an active ingredient which can be an antitussive or antihistamine but can also be a volatile oil such as menthol or eucalyptus. The confection normally contains a further flavouring agent such as lemon, honey or cherry but which can also be menthol or eucalyptus.

20 [0004] A well accepted form of throat drop is a centre-filled throat drop consisting of an edible shell and a liquid centre-filling. The liquid centre provides a pleasant soothing effect on the throat which may be further enhanced by an active agent as described above.

[0005] One of the problems with such throat drops is to provide the optimum degree of liquidity in the centre filling. Typically the edible shell cannot tolerate a high degree of moisture in the filling for reasons of product stability. Levels of moisture in the filling are usually less than 20%. The bulk of the filling usually comprises a bulk sweetener to improve the palatability of the product. These constraints often mean that the viscosity of the filling is rather high, say in excess of 50,000 mPa.s, resulting in a reduction in perception of liquidity of the centre.

25 [0006] US-A-3,894,154 discloses the inclusion of a glycerine in the centre of liquid centre-filled chewing gum for retarding increases in viscosity of the liquid fill portion.

[0007] Whilst such an approach is effective, especially within a corn syrup base, it is often not of itself sufficient.

30 [0008] US-A-4,157,402 discloses the use of an emulsifier in the filling of a centre-filled chewing gum to prevent the flavoured liquid filling penetrating into the surrounding gum composition, thus improving the flavour retaining capacity of the chewing gum.

[0009] It has now surprisingly been found that the addition of sufficient emulsifier to the liquid filling of a centre-filled hard candy to reduce its contact angle against a gelatine coated plate from more than 120° to a value in the range of 90 to 120°, is sufficient to provide an improvement in the perception of liquidity, and thus throat soothing, even though such addition may result in an increase in viscosity.

[0010] It is accordingly an object of this invention to provide centre-filled candy compositions, especially throat drops, with an improved perception of liquidity of the filling.

40 [0011] It is a further object of the invention to provide centre-filled throat drops, with an improved perception of throat soothing.

Summary of the Invention

45 [0012] The present invention relates to a throat drop comprising from 60 to 95%, of a candy shell and from 5 to 40% of an aqueous filling, by weight of the drop, the filling comprising from 8 to 20% water, from 50% to 85% of a bulk sweetener and sufficient emulsifier to provide a contact angle of from 90 to 120°, the filling having a contact angle of greater than 120° in the absence of the emulsifier.

[0013] All levels and ratios are by weight, unless otherwise indicated. Percentages are by weight of the filling unless otherwise specified.

50

Detailed Description of the invention

[0014] The throat drops of the present invention comprise from 60 to 95%, preferably from 75 to 85%, of a candy shell and from 5 to 40%, preferably from 15 to 25%, of an aqueous filling, by weight of the drop.

55 [0015] Centre-filled hard candies are described in US-A-4,372,942 and US-A-4,466,983. A suitable sugar base for a hard candy shell comprises from 30% to 85% glucose syrup and from 15% to 70% sucrose. Alternatively, a sugar-free base can be used for the shell. Suitable sugar-free bases include bulk sweeteners such as isomalt, maltitol and sorbitol. Isomalt and maltitol are preferred. The inner surface of the shell can also have a separate edible lining to

prevent or reduce interaction of the filling with the shell. The edible shell can also further comprise flavours and throat relief agents as described further below.

**[0016]** The aqueous filling comprises water at a level of from 8 to 20%, more preferably from 10 to 15% by weight of the filling. Levels of water higher than about 20% are unsuitable for the production of centre-filled hard candies.

**[0017]** The filling further comprises a bulk sweetener, such as a sugar, suitably at a level of from 50 to 85%, preferably from 60 to 75% on a dry solids basis by weight of the filling. A preferred source of the sweetener is high fructose corn syrup which, being commercially available as an 85% active material of which the balance is essentially water, can also provide some, or even all, of the water required. Sugar free compositions comprising a sugar alcohol such as sorbitol can also be used.

**[0018]** An essential component of the filling is an emulsifier, present in sufficient quantity to provide a contact angle of from 90 to 120°, the filling having a contact angle of greater than 120° in the absence of the emulsifier. Preferably the filling comprises sufficient emulsifier to provide a contact angle of from 95 to 115°, preferably from 100 to 110°. The 'contact angle', as used herein is the static contact angle of a drop of the filling on a gelatine coated cover slip, measured using a surface tensiometer and optical measuring apparatus (such as those manufactured by Kruss, Germany). The gelatine coated cover slip, prepared by dip coating a glass cover slip in a hot gelatine solution and cooling, is used as a model for the human mucous membrane.

**[0019]** The emulsifier should be a food-grade material. Suitable emulsifiers include mono- and di fatty acid glycerides such as those based on soya oil e.g. Imwitor 440 from Huels, acetoglycerides such as Dynacet 211, monoglycerides esterified with citric acid, such as Imwitor 370, and lecithins such as the Topicithin range from Lucas Meyer, Germany. Preferred is soybean lecithin. Suitable levels of the emulsifier are 0.001 to 1%, more preferably from 0.005 to 0.1% and especially from 0.01 to 0.05% by weight of the filling.

**[0020]** An optional but desirable component of the throat drops of the present invention is a throat relief agent. By "throat relief agent" herein is meant any organic compound or mixture of compounds capable of providing relief to a person with a sore or irritated throat or nasal passage. Classes of throat relief agents include, but are not limited to analgesics, antitussives, expectorants, physiological cooling agents, physiological warming agents and mixture thereof. Preferably the throat relief agent is selected from physiological cooling agents, physiological warming agents and mixtures thereof. Suitable levels of the throat relief agent are from 0.001 to 10%, preferably from 0.01 to 5%, more preferably from 0.1 to 3% by weight of the aqueous composition.

**[0021]** Suitable physiological cooling agents are described in WO 97/06695, incorporated by reference herein. Preferred for use herein are physiological cooling agents selected from the group consisting of menthol, peppermint oil, N-substituted-p-menthane-3-carboxamides, acyclic tertiary and secondary carboxamides, 3-1-menthoxy propan-1,2-diol and mixtures thereof. Particularly preferred for use herein are menthol and menthol containing oils such as peppermint oil.

**[0022]** The carboxamides found most useful are those described in US-A-4,136,163, January 23, 1979 to Watson et al., and US-A-4,230,688, October 28, 1980 to Rowsell et al. The carboxamides in US-A-4,136,163 are N-substituted-p-menthane-3-carboxamides. N-ethyl-p-menthane-3-carboxamide, commercially available as WS-3 from Wilkinson Sword, is preferred herein. The carboxamides of US-A-4,230,688 are certain acyclic tertiary and secondary carboxamides, of which trimethyl isopropyl butanamide, commercially available as WS-23 from Wilkinson Sword is preferred for use herein.

**[0023]** Preferred physiological warming agents are those selected from the group consisting of vanillyl alcohol n-butyl ether, vanillyl alcohol n-propyl ether, vanillyl alcohol isopropyl ether, vanillyl alcohol isobutyl ether, vanillyl alcohol n-amino ether, vanillyl alcohol isoamyl ether, vanillyl alcohol n-hexyl ether, vanillyl alcohol methyl ether, vanillyl alcohol ethyl ether, gingerol, shogaol, paradol, zingerone, capsaicin, dihydrocapsaicin, nordihydrocapsaicin, homocapsaicin, homodihydrocapsaicin, ethanol, iso-propyl alcohol, iso-amylalcohol, benzyl alcohol, chloroform, eugenol, cinnamon oil, cinnamic aldehyde, and phosphate derivatives thereof. The phosphate derivatives are those described in WO 97/02273.

**[0024]** The throat drops of the present invention can also comprise from 0.001 to 10% by weight of the filling of a vesicle-forming agent which acts to form vesicles which are dispersed within the filling and encapsulate the throat relief agent. By 'vesicle' is meant an essentially spherical structure comprising a lipid bilayer encapsulating a central core. The vesicles herein can be uni- or multi-lamellar and have a number average particle size of from 1 to 100 µm, more preferably from 5 to 50 µm. The particle size can be measured using an optical microscope, such as a Nikon Optiphot 2, linked to an electronic image analysis system such as the Linkam MS 100. Measurement can also be made using a graduated graticule in the field of view. EP-A-534,823, which describes anhydrous make-up compositions which can form vesicles on exposure to water gives a comprehensive list of amphiphilic liquids which can be used to form vesicles. Appropriately the emulsifier used herein is a vesicle forming agent. The preferred vesicle forming agent of the present invention is a plant-derived lecithins and, especially, soybean lecithin. Soybean lecithin can act to form vesicles at very low levels. Preferably the vesicle forming agent is present at a level of from 0.001 to 1%, more preferably from 0.005 to 0.1% and especially from 0.01 to 0.05% by weight of the filling. With adequate mixing, in the presence of water and

a throat relief agent as described herein, the lecithin forms vesicles which encapsulate the throat relief agent.

**[0025]** It has further been found that the vesicle formation is enhanced by the presence of glycerine, which is preferably present at a level of from 5 to 25%, preferably from 10 to 20%, more preferably from 12 to 18% by weight of the filling. When the filling is a sugar-free base comprising a sugar alcohol, it is preferred that the sugar alcohol is employed in admixture with glycerine, since it has been found that sugar alcohols on their own can suppress vesicle formation.

**[0026]** The aqueous fillings herein can also include a flavouring agent. As used herein, the term 'flavouring agent' means those flavour essences and equivalent synthetic ingredients which are added to the flavour composition for the principal purpose of providing flavour to the confectionery product. It excludes throat relief agents as described above. Flavouring agents well known in the confectionery art can be added to the flavour compositions of the invention. These flavouring agents can be chosen from synthetic flavouring liquid and/or oils derived from plants leaves, flowers, fruits and so forth, and combinations thereof. Representative flavouring liquids include: artificial, natural or synthetic fruit flavours such as lemon, orange, banana, grape, lime, apricot and grapefruit oils and fruit essences including apple, strawberry, cherry, orange, pineapple and so forth; bean and nut derived flavours such as coffee, cocoa, cola, peanut, almond and so forth; and root derive flavours such as licorice. The amount of flavouring agent employed is normally a matter of preference subject to such factors as flavour type, base type and strength desired. In general, amounts up to about 4% by weight are usable with amounts of from 0.1 % to 1% being preferred.

**[0027]** The aqueous filling can be made by straightforward mixing techniques. The general techniques for manufacturing centre-filled confectionery products can be found in the "Silesia Confiserie Manual No. 3", published by Silesia-Essenzenfabrik Gerhard Hanke K.G., Abt. Fachbücherei.

**[0028]** Suitably, fillings herein have a viscosity in the range of from 5,000 to 500,000, preferably from 20,000 to 250,000, more preferably from 50,000 to 100,000 mPa.s. The viscosity is measured at 25°C at a shear rate of 50s<sup>-1</sup> using a Physica Rheolab MC100 rheometer.

**[0029]** Centre-filled throat drops according to the invention can be manufactured by deposit, rope-forming and extrusion processes as known in the art. Extrusion and rope-forming processes are preferred. An example of an extrusion process is described in US-A-5,458,894. An example of an extrusion process is described in US-A-5,002,791.

**[0030]** The following examples are given to illustrate the compositions and uses according to the invention.

#### Example 1

**[0031]** Liquid, centre-filled throat drops were prepared according to formulae A and B below. The liquid filling was made by adding a premix of the lecithin, colour solution, flavour oils and / or cooling and warming agents to a mixture of the high fructose corn syrup pre-warmed to 82°C. The components were mixed for two minutes and co-extruded with a separately made candy base to produce centre-filled throat drops.

	<u>A</u>	<u>B</u>
<b>Candy casing (80% by wt. of drop)</b>	Wt. %	Wt. %
Sucrose	58.12	49.37
Glucose syrup (80% solids)	41.51	49.37
Peppermint oil	0.17	-
Menthol	0.17	0.08
Lemon oil	-	0.27
Citric acid	-	0.91
	100%	100%
<b>Liquid filling (20% by wt. of drop)</b>		
High fructose corn syrup <sup>1</sup>	84.38	84.306
Glycerine	15.0	15.0
Lecithin	0.02	0.02
Lemon oil	-	0.314

<sup>1</sup> 85% sugar solids, the balance being essentially water

(continued)

	<u>A</u>	<u>B</u>
<b>Liquid filling (20% by wt. of drop)</b>		
Colour (5% aqueous)	0.32	0.16
Peppermint oil	0.15	-
David Michael Heat <sup>2</sup>	0.125	0.20
Vanillin	0.005	-
	100%	100%

<sup>2</sup> A warming agent available from David Michael & Co., Inc., Philadelphia, USA

**[0032]** The liquid centre fillings have a contact angle of around 109° but a contact angle of about 126° in the absence of the lecithin. The throat drops deliver a pleasant throat soothing effect and provide an improved perception of liquidity of the filling.

## Claims

1. A throat drop comprising from 60 to 95%, of a candy shell and from 5 to 40% of an aqueous, liquid filling, by weight of the drop, the filling comprising from 8 to 20% water, from 50% to 85% of a bulk sweetener and sufficient emulsifier to provide a contact angle of from 90 to 120°, the filling having a contact angle of greater than 120° in the absence of the emulsifier.
2. A throat drop according to Claim 1, wherein the filling comprises sufficient emulsifier to provide a contact angle of from 95 to 115°, preferably from 100 to 110°.
3. A throat drop according to Claim 1 or Claim 2 wherein the emulsifier is soybean lecithin.
4. A throat drop according to Claims 1 to 3, wherein the drop comprises from 75 to 85% of the shell and from 15 to 25% of the filling by weight of the drop.
5. A throat drop according to any of Claims 1 to 4, wherein the filling comprises from 10 to 15% water.
6. A throat drop according to any of Claims 1 to 5, wherein the filling comprises from 5 to 25%, preferably from 10 to 20%, more preferably from 12 to 18% glycerine.
7. A throat drop according to any of Claims 1 to 6, wherein the filling comprises from 5 to 80%, preferably from 50 to 75%, sugar.
8. A throat drop according to Claim 7, wherein the sugar is provided by high fructose corn syrup.
9. A throat drop according to any of Claims 1 to 6, wherein the shell comprises a sugar-free base.
10. A throat drop according to Claim 9, wherein the filling comprises a sugar alcohol, preferably in admixture with glycerine.
11. A throat drop according to any of Claims 1 to 10, wherein the filling comprises a throat relief agent selected from physiological cooling agents, physiological warming agents and mixtures thereof.
12. A throat drop according to Claim 11, wherein the filling further comprises from 0.001 to 10% by weight of the filling of a vesicle-forming agent which acts to form vesicles which are dispersed within the filling and encapsulate the throat relief agent.
13. A throat drop according to any of Claims 1 to 12, wherein the filling has a viscosity in the range of from 5,000 to 500,000, preferably from 20,000 to 250,000, more preferably from 50,000 to 100,000 mPa.s.

## Patentansprüche

1. Halsdrops, umfassend 60 bis 95% einer Kandishülle und 5 bis 40% einer wässrigen flüssigen Füllung, bezogen auf Gewicht des Drops, wobei die Füllung 8 bis 20% Wasser, 50% bis 85% eines Masse-Süßungsmittels und ausreichend Emulgiermittel umfaßt, um einen Kontaktwinkel von 90 bis 120° vorzusehen, wobei die Füllung einen Kontaktwinkel von mehr als 120° in Abwesenheit des Emulgiermittels aufweist.
2. Halsdrops nach Anspruch 1, wobei die Füllung ausreichend Emulgiermittel umfaßt, um einen Kontaktwinkel von 95 bis 115°, vorzugsweise 100 bis 110°, vorzusehen.
3. Halsdrops nach Anspruch 1 oder Anspruch 2, wobei das Emulgiermittel Sojabohnenleizithin ist.
4. Halsdrops nach den Ansprüchen 1 bis 3, wobei das Drops 75 bis 85% der Hülle und 15 bis 25% der Füllung umfaßt, bezogen auf Gewicht des Drops.
5. Halsdrops nach mindestens einem der Ansprüche 1 bis 4, wobei die Füllung 10 bis 15% Wasser umfaßt.
6. Halsdrops nach mindestens einem der Ansprüche 1 bis 5, wobei die Füllung 5 bis 25%, vorzugsweise 10 bis 20%, weiter vorzugsweise 12 bis 18%, Glycerin umfaßt.
7. Halsdrops nach mindestens einem der Ansprüche 1 bis 6, wobei die Füllung 5 bis 80%, vorzugsweise 50 bis 75%, Zucker umfaßt.
8. Halsdrops nach Anspruch 7, wobei der Zucker durch Maissirup mit hohem Fructosegehalt vorgesehen wird.
9. Halsdrops nach mindestens einem der Ansprüche 1 bis 6, wobei die Hülle eine zuckerfreie Grundlage umfaßt.
10. Halsdrops nach Anspruch 9, wobei die Füllung einen Zuckeralkohol, vorzugsweise in Vermischung mit Glycerin, umfaßt.
11. Halsdrops nach mindestens einem der Ansprüche 1 bis 10, wobei die Füllung ein Halserleichterungsmittel umfaßt, gewählt aus physiologischen Kühlungsmitteln, physiologischen Wärmungsmitteln und Mischungen hiervon.
12. Halsdrops nach Anspruch 11, wobei die Füllung weiterhin 0,001 bis 10 Gew.-% der Füllung eines Vesikel-bildenden Mittels umfaßt, das dahingehend wirkt, Vesikel zu bilden, die innerhalb der Füllung dispergiert sind und das Halserleichterungsmittel einkapseln.
13. Halsdrops nach mindestens einem der Ansprüche 1 bis 12, wobei die Füllung eine Viskosität im Bereich von 5.000 bis 500.000, vorzugsweise 20.000 bis 250.000, weiter vorzugsweise 50.000 bis 100.000 mPas, besitzt.

## Revendications

1. Pastille pour la gorge comprenant de 60 à 95% d'une enveloppe de bonbon et de 5 à 40% d'un centre aqueux, en poids de la pastille, le centre comprenant de 8 à 20% d'eau, de 50 à 85% d'un édulcorant en vrac et suffisamment d'émulsifiant pour fournir un angle de contact de 90 à 120°, le centre ayant un angle de contact supérieur à 120° en l'absence de l'émulsifiant.
2. Pastille pour la gorge selon la revendication 1, dans laquelle le centre comporte suffisamment d'émulsifiant pour fournir un angle de contact de 95 à 115°, de préférence de 100 à 110°.
3. Pastille pour la gorge selon la revendication 1 ou la revendication 2, dans laquelle l'émulsifiant est la lécithine de soja.
4. Pastille pour la gorge selon les revendications 1 à 3, dans laquelle la pastille comprend de 75 à 85% de l'enveloppe et de 15 à 25% du centre en poids de la pastille.
5. Pastille pour la gorge selon l'une quelconque des revendications 1 à 4, dans laquelle le centre comprend de 10 à

## EP 1 003 475 B1

15% d'eau.

- 5
6. Pastille pour la gorge selon l'une quelconque des revendications 1 à 5, dans laquelle le centre comprend de 5 à 25%, de préférence de 10 à 20%, plus préférablement de 12 à 18% de glycérine.
- 10
7. Pastille pour la gorge selon l'une quelconque des revendications 1 à 6, dans laquelle le centre comprend de 5 à 80%, de préférence de 50 à 75%, de sucre.
8. Pastille pour la gorge selon la revendication 7, dans laquelle le sucre est fourni par du sirop de maïs à forte teneur en fructose.
- 15
9. Pastille pour la gorge selon l'une quelconque des revendications 1 à 6, dans laquelle l'enveloppe comprend une base sans sucre.
- 20
10. Pastille pour la gorge selon la revendication 9, dans laquelle le centre comprend un alcool de sucre, de préférence mélangé à de la glycérine.
11. Pastille pour la gorge selon l'une quelconque des revendications 1 à 10, dans laquelle le centre comprend un agent de soulagement du mal de gorge choisi parmi des agents de refroidissement physiologique, des agents de réchauffement physiologique et leurs mélanges.
- 25
12. Pastille pour la gorge selon la revendication 11, dans laquelle le centre comporte en outre de 0,001 à 10% en poids du centre, un agent de formation de vésicules, qui agit pour former des vésicules qui sont dispersés à l'intérieur du centre et qui encapsulent l'agent de soulagement du mal de gorge.
- 30
13. Pastille pour la gorge selon l'une quelconque des revendications 1 à 12, dans laquelle le centre a une viscosité comprise dans la gamme de 5000 à 500 000, de préférence de 20 000 à 250 000, plus préférablement de 50 000 à 100 000 mPa.s.